


DeckTok

USER MANUAL

Foldable Smart Floor Lamp


What You Get




1×Power Adapter



1×Control Box



1×Lamp Body




1×Lampe Base



1×Remote
Controller



1×M8 Hex Screw



1×Base Gasket



1×L-shaped
Hex Key



4×Anchor



4×M4 Screws





4×Wall Mounting
Clips



1×User Manual

At a Glance




- Click once to switch the mode.
- Click twice to turn off/on the light.
- Long press for 5 seconds red light flashing in connection network mode.

Remote Control

Within 20 seconds after powering on the adapter:
Long-press the ON button on the remote control for 5 seconds to initiate pairing/clearance.


- Successful pairing: Light flashes rapidly 3 times.
- Successful clearance: Light flashes slowly 5 times.



Setting Up The System

Method 1 Ground mounted

You'll need




1 x





1 x




1 x



Connect the lamp body to the base



Expand the lamp body group



Connect the control box to the lamp base, then plug the power cable into the control box and the adapter into a power outlet. Finally, check if the light is working properly.

Method 2 Wall mounted


You'll need




Electric drill




Marking pen




Rubber plug



Screwdriver



Hammer



Screw




Gradienter



5mm drill




Buckle



Folding lamp


Installation Steps

Step 1




Bend the swing joint until the desired shape is achieved.

Step 2




Attach the folding lamp template to the wall and mark the mounting points.

Step 3



Using an electric drill, drill holes at all four marked points. Insert rubber wall plugs, then secure the buckles to the wall with screws.

Step 4



Install the folding lamp onto the buckle, then connect the control box and power adapter.

Setting Up The System

1. Download the Decktok App from APP Store in Apple iPhone / APP market in Android mobile phone.



2. Connect to a 2.4GHz WiFi network and turn on your smartphone's Bluetooth.
3. Long press the on/off button of the control box for 5 seconds. When the red light flashes, you can open the app to connect to the network.
4. Click Add Device or click + icon on the upper right corner of the APP home page, to choose Add Device and enter the Add interface for selecting the device to be added.
5. When the device is connected to the network, the Add device interface will automatically pop up the device icon. Tap the device icon and follow the on-screen instructions to complete pairing.

Specifications

| | |
|----------------|----------------------------------|
| Adapter Input | 100-240V~50/60HZ |
| Power Input | 12V/1.75A |
| Lumen | 1200lm |
| Lighting Color | RGBW |
| Control Method | APP, Remote Control, Control Box |

Notice

- The product is only suitable for indoor use, avoid long time work in humid environment.
- Do not soak the product in water or other liquids.
- When installing, the screws need to be locked firmly and not loose.
- Do not install the product in a high temperature environment.
- The adapter needs to be connected in place, and there must be no looseness or poor contact.
- Do not disassemble and install the lamp and battery without permission.
- Use the product with the provided power adapter only.
- Do not allow children to install the lamp alone.
- CAUTION-The product is not a toy. Children and the disabled should use it under adult supervision.
- Before installation, check whether the appearance structure and wires of lights are damaged.
- After installation, turn on the light to confirm that the light works normally.

Troubleshooting

1.Unable to connect to the App

- Ensure the light strip is powered on.
- Check if Bluetooth is enabled on your phone.
- Make sure your phone is connected to a 2.4GHz Wi-Fi network.
- Long-press the control box button for five seconds until the red light flashes to activate pairing mode.

2. The light does not glow

- Unplug the power adapter, disconnect and reconnect all components, then plug the power adapter back in.
- If the issue persists, please contact DeckTok's official customer service.

Customer Service

Warranty: 12-month Limited Warranty

 www.decktok.com

 info@decktok.com

